









插入芯 Socketless hose fitting

F




型号索引 Part NO. Index

 12610A Page F-1	 15610 Page F-1	 16710 Page F-2	 17810 Page F-2
 22610 Page F-3	 26710 Page F-3	 27810 Page F-4	

12610A

英管外螺纹 60° 内锥面
BSP MALE 60° CONE SEAT




代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径 DN	标号 DASH	A	L	S1	d
12610A-04-04	G1/4" × 19	6	04	20	38	19	4.3
12610A-06-06	G3/8" × 19	10	06	24	45.5	22	7.5
12610A-08-08	G1/2" × 14	12	08	28.5	54	27	9.9
12610A-12-12	G3/4" × 14	20	12	32	69.5	32	15.5

注：材料为铜。

15610


布锥管外螺纹
NPT MALE



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径 DN	标号 DASH	A	C	S1
15610-02-04	Z1/8" × 27	6	04	18.2	10.5	12
15610-04-04	Z1/4" × 18	6	04	22.7	15	14
15610-04-06	Z1/4" × 18	10	06	22.5	15	14
15610-06-06	Z3/8" × 18	10	06	23.5	16	19
15610-06-08	Z3/8" × 18	12	08	23.7	16	19
15610-08-08	Z1/2" × 14	12	08	29	19.5	22
15610-08-10	Z1/2" × 14	16	10	29	19.5	22
15610-12-12	Z3/4" × 14	20	12	31.4	19.5	27

16710


美制 JIC 外螺纹 74° 外锥面
JIC MALE 74° CONE



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径 DN	标号 DASH	A	C	S1
16710-04-04	7/16" × 20	6	04	22	14	14
16710-06-04	9/16" × 18	6	04	22	14.1	17
16710-06-06	9/16" × 18	10	06	22	14.1	17
16710-08-06	3/4" × 16	10	06	27.2	16.7	22
16710-08-08	3/4" × 16	12	08	26.2	16.7	22
16710-10-10	7/8" × 14	16	10	28.7	19.3	24
16710-10-12	7/8" × 14	20	12	29.4	19.3	24
16710-12-08	1.1/16" × 12	12	08	34.5	21.9	27
16710-12-10	1.1/16" × 12	16	10	34	21.9	27
16710-12-12	1.1/16" × 12	20	12	35.9	21.9	30

17810


美制 SAE 外螺纹 90° 外锥面
SAE MALE 90° CONE



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS			
		公称内径 DN	标号 DASH	A	D	S1	d
17810-04-04	7/16" × 20	6	04	39	21	12	4.3
17810-06-06	5/8" × 18	10	06	43.5	23.5	17	7.5
17810-08-08	3/4" × 16	12	08	55	29.5	22	9.9
17810-10-10	7/8" × 14	16	10	71.5	32.5	24	12.2
17810-12-12	1.1/16" × 14	20	12	75.4	38.4	30	15.5

22610


英管内螺纹 60° 外锥面
BSP FEMALE 60° CONE



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径 DN	标号 DASH	A	C	S2
22610-04-04	G1/4" × 19	6	04	14.7	5.5	19
22610-06-06	G3/8" × 19	10	06	16.5	6.3	22
22610-08-08	G1/2" × 14	12	08	18.2	7.5	27
22610-12-12	G3/4" × 14	20	12	19.9	10.9	32

26710


美制 JIC 内螺纹 74° 内锥面
JIC FEMALE 74° CONE SEAT



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径 DN	标号 DASH	A	C	S2
26710-04-04	7/16" × 20	6	04	12.2	9	15
26710-05-06	1/2" × 20	6	04	12.2	9.5	17
26710-06-06	9/16" × 18	10	06	12.5	10.5	19
26710-08-06	3/4" × 16	10	06	12.5	11	24
26710-08-08	3/4" × 16	12	08	14.7	11	24
26710-10-08	7/8" × 14	12	08	15.2	13	27
26710-10-10	7/8" × 14	16	10	15.7	13	27
26710-12-12	1.1/16" × 12	20	12	17.4	15	32
26710-16-16	1.5/16" × 12	25	16	18.6	16	41

27810

美制 SAE 内螺纹 90° 内锥面
SAE FEMALE 90° CONE SEAT



代号 PART NO.	螺纹 E THREAD E	软管 HOSE BORE		尺寸 DIMENSIONS		
		公称内径 DN	标号 DASH	A	C	S2
27810-04-04	7/16" × 20	6	04	12.2	9	15
27810-05-04	1/2" × 20	6	04	13.7	9.5	17
27810-06-04	5/8" × 18	6	04	13.7	11.3	22
27810-06-06	5/8" × 18	10	06	13.7	11.3	22
27810-08-06	3/4" × 16	10	06	14.7	11	24
27810-08-08	3/4" × 16	12	08	14.7	11	24
27810-10-08	7/8" × 14	12	08	15.2	13	27
27810-12-12	1.1/16" × 14	20	12	16.9	14.3	32