






Weld Connectors



焊接接头

图形索引 Visual Index

 GASV Page G-1	 WASV Page G-2	 ASKV Page G-3
 SKA Page G-4~G-5	 SKR Page G-6~G-8	

GASV

- 焊接式直通接头
- 24 度卡套连接
- 轻重型系列
- Straight Weld Coupling
- with 24° cutting ring connector
- L and S Series





GASV											
产品系列 Series	尺寸 Size							重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	D3 mm	L1* mm	L2 mm	S1 mm	S2 mm				
L	6	4	10	29	14	12	14	23	500	GASV 06 L	102137
	8	6	12	31	16	14	17	32	500	GASV 08 L	102138
	10	8	14	33	18	17	19	43	500	GASV 10 L	102141
	12	10	16	33	18	19	22	54	400	GASV 12 L	102143
	15	12	19	37	22	22	27	91	400	GASV 15 L	102146
	18	15	22	40	23.5	27	32	135	400	GASV 18 L	102148
	22	19	27	45	28.5	32	36	187	250	GASV 22 L	102150
	28	24	32	47	30.5	41	41	263	250	GASV 28 L	102152
	35	30	40	54	32.5	46	50	389	250	GASV 35 L	102154
	42	36	46	58	35	55	60	581	250	GASV 42 L	102156
S	6	4	11	34	19	14	17	40	800	GASV 06 S	102139
	8	5	13	36	21	17	19	54	800	GASV 08 S	102140
	10	7	15	39	22.5	19	22	73	800	GASV 10 S	102142
	12	8	17	41	24.5	22	24	131	630	GASV 12 S	102144
	14	10	19	45	27	24	27	112	630	GASV 14 S	102145
	16	12	21	45	26.5	27	30	154	630	GASV 16 S	102147
	20	16	26	51	29.5	32	36	244	420	GASV 20 S	102149
	25	20	31	56	32	41	46	434	420	GASV 25 S	102151
	30	25	36	62	35.5	46	50	535	420	GASV 30 S	102153
	38	32	44	69	38	55	60	810	420	GASV 38 S	102155

* 数值可能有误差 / Values may differ

WASV

- 焊接式直角接头
- 24 度卡套连接
- 轻重型系列

- Elbow Weld Coupling
- with 24° cutting ring connector
- L and S Series





WASV												
产品系列 Series	尺寸 Size								重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	D3 mm	L1* mm	L2 mm	L3 mm	S1 mm	S2 mm				
L	6	4	10	27	12	20	12	14	32	315	WASV 06 L	105499
	8	6	12	29	14	22	12	17	42	315	WASV 08 L	105501
	10	8	14	30	15	22	14	19	55	315	WASV 10 L	105503
	12	10	16	33	18	28	17	22	74	315	WASV 12 L	105505
	15	12	19	36	21	28	19	27	128	315	WASV 15 L	105508
	18	15	22	40	23.5	33	24	32	181	315	WASV 18 L	105510
	22	19	27	44	27.5	37	27	36	240	160	WASV 22 L	105512
	28	24	32	47	30.5	42	36	41	369	160	WASV 28 L	105514
	35	30	40	56	34.5	49	41	50	550	160	WASV 35 L	105516
	42	36	46	63	40	57	50	60	869	160	WASV 42 L	105518
S	6	4	11	31	16	23	12	17	50	630	WASV 06 S	105500
	8	5	13	32	17	24	14	19	67	630	WASV 08 S	105502
	10	7	15	34	17.5	25	17	22	93	630	WASV 10 S	105504
	12	8	17	38	21.5	29	17	24	116	630	WASV 12 S	105506
	14	10	19	40	22	30	19	27	155	630	WASV 14 S	105507
	16	12	21	43	24.5	33	24	30	205	400	WASV 16 S	105509
	20	16	26	48	26.5	37	27	36	305	400	WASV 20 S	105511
	25	20	31	54	30	42	36	46	566	400	WASV 25 S	105513
	30	25	36	62	35.5	49	41	50	763	400	WASV 30 S	105515
	38	32	44	72	41	57	50	60	1147	315	WASV 38 S	105517

* 数值可能有误差 / Values may differ

ASKV

- 直通焊接接头
- 24 度接头, o 型圈
- 重型系列

- Straight Weld Coupling for tubes
- with 24° coupling and Viton O-ring
- S Series





ASKV

产品系列 Series	尺寸 Size							重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	L1 mm	L2 mm	L3 mm	S1 mm	S2 mm				
S	6	3	51	19	8	14	17	63	521	ASKV 06 S × 1.5	100129
	8	5	53	21	8	17	19	68	409	ASKV 08 S × 1.5	100130
	8	4	53	21	8	17	19	70	519	ASKV 08 S × 2	100131
	10	8	58	24.5	10	19	22	75	242	ASKV 10 S × 1	100132
	10	7	58	24.5	10	19	22	81	349	ASKV 10 S × 1.5	100133
	10	6	58	24.5	10	19	22	86	447	ASKV 10 S × 2	100134
	12	9	63	29.5	15	22	24	106	297	ASKV 12 S × 1.5	124937
	12	8	63	29.5	15	22	24	107	383	ASKV 12 S × 2	100136
	12	7	63	29.5	15	22	24	109	463	ASKV 12 S × 2.5	100137
	14	10	72	32	16	24	27	138	337	ASKV 14 S × 2	100138
	14	8	72	32	16	24	27	149	481	ASKV 14 S × 3	100139
	16	12	74	33	16.5	27	30	175	297	ASKV 16 S × 2	100141
	16	11	74	33	16.5	27	30	184	362	ASKV 16 S × 2.5	100142
	16	10	74	33	16.5	27	30	193	400	ASKV 16 S × 3	100143
	20	16	84	36.5	19	32	36	301	242	ASKV 20 S × 2	100144
	20	15	84	36.5	19	32	36	311	297	ASKV 20 S × 2.5	100145
	20	14	84	36.5	19	32	36	316	349	ASKV 20 S × 3	100146
	20	12	84	36.5	19	32	36	322	400	ASKV 20 S × 4	100147
	25	19	93	39.5	19.5	41	46	551	286	ASKV 25 S × 3	100148
	25	17	93	39.5	19.5	41	46	559	369	ASKV 25 S × 4	100149
	25	15	93	39.5	19.5	41	46	589	400	ASKV 25 S × 5	100150
	30	24	102	44.5	23	46	50	671	242	ASKV 30 S × 3	100151
	30	22	102	44.5	23	46	50	323	314	ASKV 30 S × 4	100152
	30	20	102	44.5	23	46	50	726	383	ASKV 30 S × 5	100153
	30	18	102	44.5	23	46	50	791	400	ASKV 30 S × 6	100154
	38	30	109	44	22	55	60	988	254	ASKV 38 S × 4	100155
	38	28	109	44	22	55	60	1044	111	ASKV 38 S × 5	100156
	38	26	109	44	22	55	60	1108	315	ASKV 38 S × 6	100157
	38	24	109	44	22	55	60	1205	315	ASKV 38 S × 7	100158

SKA

- 焊接接管
- O 型圈密封
- 轻 / 重, 轻型和重型系列
- Straight Weld Nipple for tubes
- Sealing by O-ring Viton
- L/S, L and S Series





SKA								
产品系列 Series	尺寸 Size				重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	L1 mm	L2 mm				
L / S	6	3	30.5	32	7	539	SKA 06 L/S × 1.5	104366
	8	5	31	32.5	11	424	SKA 08 L/S × 1.5	104367
	8	4	31	32.5	11	539	SKA 08 L/S × 2	104368
	10	8	32.5	33.5	13	242	SKA 10 L/S × 1	104369
	10	7	32.5	33.5	13	349	SKA 10 L/S × 1.5	104370
	10	6	32.5	33.5	16	447	SKA 10 L/S × 2	104371
	12	9	32.5	33.5	21	297	SKA 12 L/S × 1.5	104373
	12	8	32.5	33.5	20	383	SKA 12 L/S × 2	104374
	12	7	32.5	33.5	22	463	SKA 12 L/S × 2.5	104375
L	15	11	35	36	29	315	SKA 15 L × 2	104378
	15	10	34	36	31	315	SKA 15 L × 2.5	104379
	18	15	35.5	36.5	36	315	SKA 18 L × 2	104385
	18	13	36	37.5	40	315	SKA 18 L × 2.5	104386
	22	18	38.5	39.5	53	160	SKA 22 L × 2	202772
	22	17	38.5	40	57	160	SKA 22 L × 2.5	104393
	28	25	41.5	42.5	69	160	SKA 28 L × 2	104399
	28	23	41.5	43	73	160	SKA 28 L × 2.5	104400
	28	22	41.5	43	89	160	SKA 28 L × 3	104401
	35	28	47	50	140	160	SKA 35 L × 3.5	104408
	35	27	47	50	150	160	SKA 35 L × 4	104409
	42	36	47	50.5	155	160	SKA 42 L × 3	104417
	42	34	47	50.5	190	160	SKA 42 L × 4	104418

SKA

- 焊接接管
- O 型圈密封
- 重型系列

- Straight Weld Nipple for tubes
- Sealing by O-ring Viton
- S Series





SKA								
产品系列 Series	尺寸 Size				重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	L1 mm	L2 mm				
S	14	10	38.5	40.5	26	334	SKA 14 S × 2	104376
	14	8	38.5	40.5	33	474	SKA 14 S × 3	104377
	16	13	39	41.5	32	228	SKA 16 S × 1.5	104381
	16	12	39	41.5	31	297	SKA 16 S × 2	104382
	16	11	39	41.5	38	362	SKA 16 S × 2.5	104383
	16	10	39	41.5	41	400	SKA 16 S × 3	104384
	20	16	44.5	47.5	57	242	SKA 20 S × 2	104387
	20	15	44.5	47.5	57	297	SKA 20 S × 2.5	104388
	20	14	44.5	47.5	64	349	SKA 20 S × 3	104389
	20	13	44.5	47.5	71	400	SKA 20 S × 3.5	104390
	20	12	44.5	47.5	78	400	SKA 20 S × 4	104391
	25	19	49.5	53.5	89	286	SKA 25 S × 3	104395
	25	18	49.5	53.5	100	328	SKA 25 S × 3.5	104396
	25	17	49.5	53.5	111	369	SKA 25 S × 4	104397
	25	15	49.5	53.5	125	400	SKA 25 S × 5	104398
	30	27	52	58	100	228	SKA 30 S × 2.5	104403
	30	24	52	58	113	242	SKA 30 S × 3	104404
	30	22	52	58	141	314	SKA 30 S × 4	104405
	30	20	52	58	166	383	SKA 30 S × 5	104406
	30	18	52	58	188	400	SKA 30 S × 6	104407
	38	32	56.5	65	163	195	SKA 38 S × 3	104411
	38	30	56.5	65	209	254	SKA 38 S × 4	104412
	38	28	56.5	65	247	315	SKA 38 S × 5	104413
	38	26	56.5	65	270	315	SKA 38 S × 6	104414
	38	24	56.5	65	270	315	SKA 38 S × 7	104415

SKR

- 焊接变径接管
- 24 度接头, O 型圈
- 轻 / 重, 重型系列



- Straight Reducing Weld Nipple for tubes
- With 24° coupling and Viton O-ring
- L/S and S Series



SKR										
产品系列 Series	尺寸 Size						重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm				
L / S	8	6	3	31	32.5	15	14	539	SKR 08 - 06 × 1.5	204315
	10	6	3	32.5	33.5	12	15	539	SKR 10 - 06 × 1.5	204317
	10	8	5	32.5	33.5	12	16	424	SKR 10 - 08 × 1.5	204319
	10	8	4	32.5	33.5	12	17	539	SKR 10 - 08 × 2	204321
	12	8	5	32.5	33.5	14	18	424	SKR 12 - 08 × 1.5	204323
	12	8	4	32.5	33.5	12	20	539	SKR 12 - 08 × 2	204325
	12	10	7	32.5	33.5	14	18	349	SKR 12 - 10 × 1.5	204327
	12	10	6	32.5	33.5	16	20	360	SKR 12 - 10 × 2	201966
S	16	10	8	42	44.5	23	35	349	SKR 16 - 10 × 1.5	202894
	16	10	6	42	44.5	23	43	400	SKR 16 - 10 × 2	204329
	16	12	9	42	44.5	23	45	297	SKR 16 - 12 × 1.5	204331
	16	12	8	42	44.5	23	47	383	SKR 16 - 12 × 2	125138
	16	12	7	39	41.5	15	49	400	SKR 16 - 12 × 2.5	125139
	20	10	8	44	51	25	63	250	SKR 20 - 10 × 1.5	201922
	20	12	9	48	51	25	76	297	SKR 20 - 12 × 1.5	204333
	20	12	8	48	51	25	78	383	SKR 20 - 12 × 2	204335
	20	12	7	48	51	25	80	400	SKR 20 - 12 × 2.5	204337
	20	12	6	44	47	17	86	400	SKR 20 - 12 × 3	204340
	20	16	12	48	51	25	74	297	SKR 20 - 16 × 2	125141
	20	16	11	45	47	17	76	362	SKR 20 - 16 × 2.5	204342
	20	16	10	45	47	17	78	400	SKR 20 - 16 × 3	204343

SKR

- 焊接变径接管
- 24 度接头, O 型圈
- 重型系列
- Straight Reducing Weld Nipple for tubes
- with 24° coupling and Viton O-ring
- S Series





SKR										
产品系列 Series	尺寸 Size						重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm				
S	25	12	9	49.5	53	20	117	297	SKR 25 - 12 × 1.5	204345
	25	12	8	52	56.5	28	121	383	SKR 25 - 12 × 2	204347
	25	12	7	49.5	53	20	125	400	SKR 25 - 12 × 2.5	204349
	25	12	6	49.5	53	20	129	400	SKR 25 - 12 × 3	204351
	25	16	12	49.5	54	20	115	297	SKR 25 - 16 × 2	201824
	25	16	11	49.5	54	32	120	362	SKR 25 - 16 × 2.5	204353
	25	16	10	49	53.5	20	123	400	SKR 25 - 16 × 3	204354
	25	20	16	49.5	54	20	94	242	SKR 25 - 20 × 2	204356
	25	20	15	52	56.5	28	104	297	SKR 25 - 20 × 2.5	125144
	25	20	14	52	56.5	28	114	349	SKR 25 - 20 × 3	204358
	25	20	12	49.5	53	20	124	400	SKR 25 - 20 × 4	125145
	30	12	9	59	65	34	135	297	SKR 30 - 12 × 1.5	204361
	30	12	8	52	58	22	145	383	SKR 30 - 12 × 2	201923
	30	12	6	59	65	34	155	400	SKR 30 - 12 × 3	204364
	30	16	12	51.5	56.5	22	166	297	SKR 30 - 16 × 2	204366
	30	16	11	59	65	34	176	362	SKR 30 - 16 × 2.5	204368
	30	20	16	59	65	34	149	242	SKR 30 - 20 × 2	204370
	30	20	15	59	65	34	159	297	SKR 30 - 20 × 2.5	202668
	30	20	14	59	65	34	169	349	SKR 30 - 20 × 3	204372
	30	20	12	59	65	34	184	400	SKR 30 - 20 × 4	204374
	30	25	20	59	65	34	141	242	SKR 30 - 25 × 2.5	204376
	30	25	19	59	65	34	156	286	SKR 30 - 25 × 3	125148
	30	25	17	59	65	34	168	369	SKR 30 - 25 × 4	204379

SKR

- 焊接变径接管
- 24 度接头, O 型圈
- 重型系列

- Straight Reducing Weld Nipple for tubes
- With 24° coupling and Viton O-ring
- S Series



SKR										
产品系列 Series	尺寸 Size						重量 Weight (g)	PN bar	产品型号 Name	产品代码 Article No.
	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm				
S	38	12	9	66	74.5	38	219	297	SKR 38 - 12 × 1.5	204380
	38	12	8	66	74.5	38	234	315	SKR 38 - 12 × 2	204382
	38	12	6	66	74.5	38	249	315	SKR 38 - 12 × 3	204385
	38	16	12	66	74.5	38	279	297	SKR 38 - 16 × 2	204386
	38	16	11	66	74.5	38	294	315	SKR 38 - 16 × 2.5	204388
	38	16	10	66	74.5	38	309	315	SKR 38 - 16 × 3	201088
	38	20	16	66	74.5	38	263	242	SKR 38 - 20 × 2	204390
	38	20	15	66	74.5	38	278	297	SKR 38 - 20 × 2.5	201178
	38	20	14	66	74.5	38	293	315	SKR 38 - 20 × 3	204393
	38	20	12	66	74.5	38	299	315	SKR 38 - 20 × 4	204397
	38	25	20	66	74.5	38	242	242	SKR 38 - 25 × 2.5	204398
	38	25	19	66	74.5	38	262	286	SKR 38 - 25 × 3	201040
	38	25	17	66	74.5	38	285	315	SKR 38 - 25 × 4	204401
	38	30	24	66	74.5	38	256	242	SKR 38 - 30 × 3	204403
	38	30	22	66	74.5	38	286	315	SKR 38 - 30 × 4	201038
	38	30	20	56.5	65	26	316	315	SKR 38 - 30 × 5	125151